

L Number	Hits	Search Text	DB	Time stamp
1	1	("20020194317").PN.	USPAT; US-PGPUB	2004/09/30 10:35
6	0	((("20020194317").PN.) and (matrix boolean\$3)	USPAT	2004/09/30 12:30
12	314	traffic adj descriptor\$3	USPAT; US-PGPUB	2004/09/30 12:44
13	2	traffic adj descriptor\$3 near4 measurement\$5	USPAT; US-PGPUB	2004/09/30 12:44
14	39	traffic adj descriptor\$3 near4 information\$5	USPAT; US-PGPUB	2004/09/30 12:45
16	1	(traffic adj descriptor\$5) with (packet near traffic\$5)	USPAT; US-PGPUB	2004/09/30 13:04
17	0	(traffic adj descriptor\$5) with (flow near analy\$5)	USPAT; US-PGPUB	2004/09/30 13:05
18	0	(traffic adj descriptor\$5) with (flow near8 analy\$5)	USPAT; US-PGPUB	2004/09/30 13:05
19	23	(traffic adj descriptor\$5) near9 (flow)	USPAT; US-PGPUB	2004/09/30 13:05
22	71	(traffic adj descriptor\$5) with ((dropped near packet\$5) delay\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:18
23	120	(traffic adj descriptor\$5) with ((dropped near packet\$5) bandwidth\$5 (maximum adj number\$3 adj packet\$3) delay\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 13:19
30	608	(boolean) near3 (condition\$3)	USPAT	2004/09/30 13:47
31	0	(boolean) near3 (if near condition\$3)	USPAT	2004/09/30 13:47
32	0	(boolean) near3 ('if' near condition\$3)	USPAT	2004/09/30 13:51
34	1	(operational adj condition\$3) with boolean	USPAT; US-PGPUB	2004/09/30 13:55
35	14461	(operational adj condition\$3)	USPAT; US-PGPUB	2004/09/30 13:56
36	0	(operational adj condition\$3) near9 (if-then)	USPAT; US-PGPUB	2004/09/30 13:56
37	0	(operational adj condition\$3) with (if-then)	USPAT; US-PGPUB	2004/09/30 13:56
38	0	(operational adj condition\$3) with (if-then)	USPAT; US-PGPUB	2004/09/30 13:56
39	0	(operational adj condition\$3) with (if-then)	USPAT; US-PGPUB	2004/09/30 13:56
73	1	dscp adj protocol	USPAT; US-PGPUB	2004/09/30 16:30
80	2	ip adj3 protocol adj3 precedenc\$9	USPAT; US-PGPUB	2004/09/30 16:41
81	132	(ip protocol\$3) adj3 precedenc\$9	USPAT; US-PGPUB	2004/09/30 17:37
94	43	bandwidth\$3 near9 (traffic\$5 adj descript\$6)	USPAT	2004/09/30 17:23
95	4	((("6611863") or ("20030179703") or ("20020194317") or ("20040117613"))).PN.	USPAT; US-PGPUB	2004/09/30 17:42
97	1	("20040117613").PN.	USPAT; US-PGPUB	2004/09/30 17:43
100	55	(matrix adj2 configurat\$9) with network\$3	USPAT; US-PGPUB	2004/09/30 17:45
101	0	((("6611863") or ("20030179703") or ("20020194317") or ("20040117613"))).PN.) and (cross\$6)	USPAT	2004/09/30 17:47
102	10469	matrix near9 condition\$3	USPAT	2004/09/30 17:57
103	1	((("20020194317").PN.) and (instruction\$3 software program\$3)	USPAT; US-PGPUB	2004/09/30 17:59
-	5	(conver\$9 translat\$6) with (high adj level\$5) with (low adj level\$5) with (qos (quality adj service\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/30 10:33

-	3	((conver\$9 translat\$6) with (high adj level\$5) with (low adj level\$5) with polic\$9) and (qos (quality adj service\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/09/29 18:10
-	1	("6611863").PN.		2004/09/29 18:10

Web Images Groups News Froogle [more »](#)

Google™ [Advanced Search](#)
[Preferences](#)

WebResults 1 - 3 of about 22 for "**IP protocol precedence**". (0.33 seconds)**[PDF] IP Protocol Precedence**File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **IP Protocol Precedence** 60 Cisco VPN 5000 Concentrator Series Command Reference Guide, Software Version 6.0.x OL-1288-01 **IP Protocol Precedence** This section ...
www.cisco.com/univercd/cc/td/doc/product/aggr/vpn5000/5000sw/conce60x/ref60x/config/ipprotpr.pdf - Supplemental Result - [Similar pages](#)

Release Notes for the Cisco VPN 5000 Manager Version 5.5.1

... CSCdr48186. If you change the **IP Protocol Precedence** section and save it to the device, the manager no longer adds a new **IP Protocol Precedence** section instead ...
www.cisco.com/univercd/cc/td/doc/product/aggr/vpn5000/5000mgr/5_5mgrn.htm - 25k -

[Cached](#) - [Similar pages](#)[[More results from www.cisco.com](#)]**[PDF] "The Security Role of the Router". In: Bulletproofing TCP/IP-based ...**

File Format: PDF/Adobe Acrobat

... **precedence** Provides a mechanism for @ltering by the precedence level name or precedence number (0 to 7) in the IP Type of Service @eld. ...
doi.wiley.com/10.1002/0470841605.ch4 - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.


Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google 49 Pop-ups blocked

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google

BEST AVAILABLE COPY



NELNET

Network Admin Resource Center

[Ping](#)
[Traceroute](#)
[Netmask Converter](#)
[Whois Lookup](#)
[Name Service Lookup](#)

Google is not affiliated with the authors of this page nor responsible for its content.

Routing Protocol Precedence

- [Cisco](#)
- [GateD](#)
- [Ascend MaxTNT](#)

Routing Information:

[Network Glossary](#)

[BGP](#)

[General Networking](#)

Total Internet Service

Design, Hosting, Access, Site

Cisco Protocol Precedence

This list is in decending order of precedence. In other words, protocols higher priority over protocols lower on the list. The **Distance** field is the default Cisco to each protocol.

Protocol	Distance
Directly Connected	0
Static	1
EBGP	20
EIGRP (Internal)	90
IGRP	100
OSPF	110
ISIS	115
RIP	120
EGP	140
EIGRP (External)	170
IBGP	200
BGP Local	200
Unknown	255

GateD Protocol Precedence

This list is in decending order of precedence. In other words, protocols higher priority over protocols lower on the list. The **Preference** field is the default GateD to each protocol.

Protocol	Preference
----------	------------

BEST AVAILABLE COPY

Directly Connected	0
OSPF	10
IS-IS level 1	15
IS-IS level 2	18
internally generated default	20
ICMP Redirects	30
Learned from Kernel	40
Static	60
SLSP	70
RIP	100
PtP Interfaces	110
Down Interfaces	120
Aggregated/Generated Routes	130
OSPF ASE	150
BGP	170
EGP	200

Ascend MaxTNT Protocol Precedence

This list is in decending order of precedence. In other words, protocols highe higher priority over protocols lower on the list. The **Preference** field is the de Ascend to each protocol.

Protocol	Preference
Directly Connected	0
OSPF	10
ICMP Redirected	30
RIP	100
Static	100

BEST AVAILABLE COPY